

# FLOS

03.2008.01ADA White

## Bon Jour Ø 145 Dali

Designed by Philippe Starck, 2016



Recessed luminaire with LED light source. Remote 220/240V power supply included.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications

Mounting	Semirecessed
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED array
Lamp category	LED
Number of lamps	1
System power (W)	36
Source flux (lm)	3840
Lumen Output (lm)	1527

### Physical

Colour	White
Trim	Yes
Recessed depth (mm)	205
Bezel diameter (mm)	145
Net weight (kg)	1.11
Package volume (m3)	0.01
IP internal	20
IP external	44



### Download

[Mounting instructions](#)  PDF

### Photometric Files

[LDT / IES](#)  ZIP

### Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



## Schematic light drawing



## Photometric

Lighting type	Direct
Light distribution	Symmetric
CCT (K)	3000
CRI>	90
Beam angle C0-180 (°)	57
Beam angle C90-270 (°)	57

## Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	110-240
LED current (mA)	900
Power supply	Remote included
Dimmable	Yes
Power supply type	Dimmable DALI 2
Dimming interface	Remote Dimmable (Dimmer Not Included)

## Notes

Pre-installation frame must be ordered separately

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class G



## Accessories & Power Supply



REQUIRED  
Frame

08.8975.00

Pre-installation frame



OPTIONAL  
Filter

Optical

08.8977.00

Decorative screening accessory