

FLOS

■ F3175030 Black

IC Lights S1

Designed by Michael Anastassiades, 2014



Halogen - 60W

Suspension lamp providing diffused light. Frame in brass, chrome or black. Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607003305
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E14
Icos	HSGS
Number of lamps	1
Power (W)	60

Physical

Colour	Black
Length (mm)	200
Cord colour	Black
Cord length (mm)	2700
Canopy colour	Black
Canopy length/diameter (mm)	113
Canopy height (mm)	32
Net weight (kg)	1.95
Package volume (m3)	0.05
IP internal	20



Download

[Mounting instructions](#) PDF

Photometric Files

[LDT / IES](#) LDT

Technical Drawings


[2D](#) ZIP

[3D](#) ZIP

[Bim](#) ZIP



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF32290


LED Lamp E14 8W 2700K T28



NOT INCLUDED

RF32291

LED Lamp E14 8W 3000K T28



NOT INCLUDED

RF37192

LED Lamp 7,5W E14 220-240V
2700K T28




NOT INCLUDED

RF37193

LED Lamp 7,5W E14 220-240V
3000K T28

Spare Parts



- | | | |
|-----|----------------------------------------------------------|-----------|
| 01. | IC Lights 1 diffuser for black version | F3136030 |
| 02. | Ic Suspension 1/Suspension 2 black ceiling rose assembly | RF3170330 |
| 03. | Kit with screws and allen key | RF3160100 |
| 04. | Ic Suspension 1 E14 lamp holder assembly | RF3170100 |



F3136030
IC Lights 1 diffuser for black
version



RF3170330
Ic Suspension 1/Suspension 2
black ceiling rose assembly



RF3160100
Kit with screws and allen key



RF3170100
Ic Suspension 1 E14 lamp holder
assembly