

FLOS

 F3151059 Brass

IC Lights S3

Designed by Michael Anastassiades, 2024



LED retrofit - 25W

Suspension lamp providing diffused light. Frame in brass or Gold plate 24 carat.
Blown glass opal diffuser.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

Main specifications

EAN	8059607067284
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	Yes
Lamp category	LED retrofit
Lamp holders	E27
Icos	HSGS
Bulb finish	Opal
Number of lamps	1
Power (W)	25

Physical

Colour	Brass
Length (mm)	650
Cord colour	Black
Cord length (mm)	2800
Canopy colour	Brass
Canopy length/diameter (mm)	113
Canopy height (mm)	36
Net weight (kg)	7
Package volume (m3)	0.25
IP internal	20



Download

[Mounting instructions](#)  PDF

Photometric Files

[LDT / IES](#)  ZIP

Technical Drawings

[2D](#)  ZIP


[2D](#)  ZIP

[3D](#)  ZIP

[3D](#)  ZIP



Schematic light drawing



Ecodesign and Energy

Labelling

This product contains a light source of energy efficiency class D


Photometric

Lighting type	Direct, Indirect
Light distribution	Asymmetric
Extreme cut off	No

Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs




INCLUDED

RF36503

LED 25W E27 3700lm 2700K 240°

DIMMER

Spare Parts




- | | | |
|-----|--|-----------|
| 01. | IC 3 White/brass diffuser | F3153059 |
| 02. | IC S3 Brass ceiling rose | RF3152059 |
| 03. | IC T/S 3 Fixed flange semi-cover
for brass diffuser | RF36457 |
| 04. | IC T/S 3 Kit of screws and allen
key | RF3154100 |



F3153059

IC 3 White/brass diffuser



RF3152059

IC S3 Brass ceiling rose



RF36457

IC T/S 3 Fixed flange semi-cover
for brass diffuser



RF3154100

IC T/S 3 Kit of screws and allen
key