

FLOS

F6305046 Aluminized Bronze

KTribe Floor 2

Designed by Philippe Starck, 2006


Halogen - 150W



Floor lamp providing diffused lighting. Base, rod support and diffuser support in die-cast, polished and chrome-plated Zamak alloy. Galvanized P04 steel base cover. Injectionmolded PC (polycarbonate) opal inner diffuser and support for the lamp-holder. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Injection-molded PC (polycarbonate) upper ring, completely transparent or transparent diffuser and silver diffuser) or transparent brown for the outer bronze diffuser. On the cable there is the electronic dimmer which allows the regulation of light brightness.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Floor
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	150

Physical

Colour	Aluminized Bronze
Length (mm)	395
Cord colour	Black
Net weight (kg)	6.7
Package volume (m3)	0.36
IP internal	20

Download

Mounting instructions

PDF



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
Extreme cut off	No

Electrical


Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs



NOT INCLUDED


RF26998
LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED

RF30429
LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



- | | | |
|-----|---|-----------|
| 01. | aluminized bronze diffuser assembly | F6278046 |
| 02. | Led rondo' dimmer 220/240v 40-250w 4-100w | RF28045 |
| 03. | Kit of 5 white feed pads for base | RF3020100 |



F6278046
aluminized bronze diffuser
assembly



RF28045
Led rondo' dimmer 220/240v 40-
250w 4-100w



RF3020100
Kit of 5 white feed pads for base