

FLOS

F6303000 Transparent

KTribE Table 2

Designed by Philippe Starck, 2007


Halogen - 150W



Table luminaire providing diffused lighting. Base, rod support and diffuser support in diecast, polished and chrome-plated Zamak alloy. Base cover in black injection-molded PA (Nylon). Injection-molded PC (polycarbonate) opal inner diffuser. Outer diffusers in transparent or fumée PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Injection-molded PC (polycarbonate) upper ring, completely transparent or transparent diffuser and silver diffuser) or transparent brown for the outer bronze diffuser.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Table
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	150

Physical

Colour	Transparent
Length (mm)	395
Cord colour	Black
Net weight (kg)	4.5
Package volume (m3)	0.18
IP internal	20

Download

Mounting instructions [↓ PDF](#)

Photometric Files

LDT / IES [↓ LDT](#)


Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)



Schematic light drawing



Photometric

Lighting type	Direct, Indirect
Light distribution	Symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No


Bulbs



NOT INCLUDED

RF32288

LED Lamp E27 15W 2700K T38




NOT INCLUDED

RF32289

LED Lamp E27 15W 3000K T38

Spare Parts



- | | | |
|-----|-------------------------------|----------|
| 01. | Transparent Diffuser Assembly | F6278000 |
| 02. | Black Dimmer Switch | RF28206 |



F6278000

Transparent Diffuser Assembly



RF28206

Black Dimmer Switch