

# FLOS

■ F3300000 Black

## Lampadina

Designed by Achille Castiglioni, 1972

LED retrofit - 2W - 241lm - 2700K



Table lamp providing direct, diffused light. Anodized aluminum base serves to contain excess power cord. Bakelite lamp-holder, painted to match the switch in the orange and black colors. Clear globe lamp is partially sandblasted to diffuse the light.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

### Main specifications

|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607018880       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light source type      | Bulb                |
| Light sources included | Yes                 |
| Lamp category          | LED retrofit        |
| Lamp type              | G125                |
| Lamp holders           | E27                 |
| Bulb finish            | Semifrosted         |
| Number of lamps        | 1                   |
| Power (W)              | 2                   |
| Lumen Output (lm)      | 241                 |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | Black |
| Length (mm)         | 125   |
| Cord colour         | Black |
| Cord length (mm)    | 2300  |
| Net weight (kg)     | 0.35  |
| Package height (mm) | 250   |
| Package width (mm)  | 140   |
| Package length (mm) | 145   |
| Package volume (m3) | 0.01  |
| IP internal         | 20    |



### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)

### Technical Drawings

2D [↓ ZIP](#)


3D [↓ ZIP](#)



### Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F

Schematic light drawing




Photometric

|                    |            |
|--------------------|------------|
| Light distribution | Asymmetric |
| CCT (K)            | 2700       |
| Extreme cut off    | No         |

Electrical

|                    |                                  |
|--------------------|----------------------------------|
| Insulation class   | II                               |
| Frequency (Hz)     | 50/60                            |
| Main voltage (Vac) | 230                              |
| Dimmable           | No                               |
| Dimming interface  | Switch Integrated (Not Dimmable) |
| Plug type          | Type C                           |
| Batteries inside   | No                               |

Bulbs



INCLUDED

RF32797

LED Lamp 2W E27 230V 2700K  
G125 Non Dimmable