

FLOS

F4195009 White

Mini Glo-Ball Suspension

Designed by Jasper Morrison, 2006




Halogen - 25W

Suspension lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass. White painted, injection-molded PPS lamp-holder support.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

EAN	8059607020074
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	G9
Icos	HSGS
Number of lamps	1
Power (W)	25

Physical

Colour	White
Length (mm)	120
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	White
Canopy length/diameter (mm)	80
Canopy height (mm)	23
Net weight (kg)	0.45
Package height (mm)	190
Package width (mm)	190
Package length (mm)	190
Package volume (m3)	0.01
IP internal	20

Download

[Mounting instructions](#)  PDF

Photometric Files


[LDT / IES](#)  LDT

Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Roto symmetric
Extreme cut off	No

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Bulbs



NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-240
2700K T13 Non Dimmable




NOT INCLUDED

RF36378

LED BiPin Lamp G9 3,2W 2700K
Dimmable

Spare Parts



- | | | |
|-----|--|-----------|
| 01. | S1 ceiling rose assembly | RF6256001 |
| 02. | 5 meter sil/fep 2x0,75
transparent electrical cable | RF4190200 |
| 03. | G9 5600 lamp holder | RF12818 |
| 04. | Mini Glo-Ball Suspension new
diffuser assembly | RF4195200 |



RF6256001
S1 ceiling rose assembly



RF4190200
5 meter sil/fep 2x0,75
transparent electrical cable



RF12818
G9 5600 lamp holder



RF4195200
Mini Glo-Ball Suspension new
diffuser assembly