

# FLOS

F4191009 White

## Mini Glo-Ball Table

Designed by Jasper Morrison, 2003

Halogen - 25W



Table/desk lamp providing diffused light. Diffuser consisting of an externally acidetched, hand blown, flashed opaline glass and an injection-molded, white PBT (polybutylenterephthalate) threaded ring nut. Injection-molded, white PBT (polybutylenterephthalate) cover, base/ lamp-holder support.

Are you a professional and your project needs consulting and support?


[BOOK AN APPOINTMENT](#)

### Main specifications


|                        |                     |
|------------------------|---------------------|
| EAN                    | 8059607019993       |
| Mounting               | Table               |
| Environments           | Indoor dry location |
| Light source type      | Bulb                |
| Light sources included | No                  |
| Lamp category          | Halogen             |
| Lamp holders           | G9                  |
| Ilcos                  | HSGS                |
| Number of lamps        | 1                   |
| Power (W)              | 25                  |

### Physical

|                     |       |
|---------------------|-------|
| Colour              | White |
| Length (mm)         | 120   |
| Cord colour         | White |
| Cord length (mm)    | 1500  |
| Net weight (kg)     | 0.42  |
| Package height (mm) | 190   |
| Package width (mm)  | 190   |
| Package length (mm) | 190   |
| Package volume (m3) | 0.01  |
| IP internal         | 40    |



### Download

[Mounting instructions](#)  PDF

### Photometric Files

[LDT / IES](#)  LDT

### Technical Drawings


[2D](#)  ZIP

[3D](#)  ZIP

[Bim](#)  ZIP



## Schematic light drawing



Luminous flux luminaire  
230 lm

### Photometric

|                    |                |
|--------------------|----------------|
| Lighting type      | Total          |
| Light distribution | Roto symmetric |
| Extreme cut off    | No             |

### Electrical

|                    |  |
|--------------------|--|
| Insulation class   | II                                     |
| Frequency (Hz)     | 50/60                                  |
| Main voltage (Vac) | 220-250                                |
| Dimmable           | Yes                                    |
| Dimming interface  | Switch Integrated<br>(Remote Dimmable) |
| Plug type          | Type C                                 |
| Batteries inside   | No                                     |

## Bulbs



NOT INCLUDED

RF26520

LED Lamp 2W 240lm G9 220-240  
2700K T13 Non Dimmable




NOT INCLUDED


RF36378

LED BiPin Lamp G9 3,2W 2700K  
Dimmable

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | Mini Glo-Ball Ceiling/Wall & Table<br>new diffuser assembly            | RF4190400 |
| 02. | Mini Glo-Ball Table Assembly<br>Electrical Wiring with Switch<br>White | RF32896   |





RF4190400  
Mini Glo-Ball Ceiling/Wall & Table  
new diffuser assembly



RF32896  
Mini Glo-Ball Table Assembly  
Electrical Wiring with Switch White