

# FLOS

■ F0265000 Black

## Noctambule Floor 1 High Cylinder Cone Small Base

Designed by Konstantin Grcic, 2019




36W - 876lm - 2700K - CRI> 90

Standing lamps consisting of interconnecting glass modules reaching a height of 2,17 metres (85.43"). Cylindrical and semi-spherical transparent blown glass structure, die cast aluminium base and rings, hydroformed steel internal lateral arms and injection moulded optical opal silicone outer ring diffusers. The power supply cable is 2 metres (78.74") long, with a pedal operated panel used as a dimmer to adjust the light intensity by 10% to 100% in either direction. Wall mounted power supply unit with interchangeable plugs.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



### Main specifications

EAN	8059607000564
Mounting	Floor
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	36
Lumen Output (lm)	876

### Physical

Colour	Black
Length (mm)	365
Cord colour	Black
Cord length (mm)	1800
Net weight (kg)	14
Package volume (m3)	0.23
IP internal	20

### Download

- Mounting instructions [↓ PDF](#)
- Mounting instructions [↓ PDF](#)
- Mounting instructions [↓ PDF](#)

### Photometric Files


- LDT / IES [↓ ZIP](#)

### Technical Drawings

- 3D [↓ ZIP](#)
- [🔒 Bim](#) [↓ ZIP](#)



## Schematic light drawing



## Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

## Electrical


Insulation class	III
Frequency (Hz)	50/60
Main voltage (Vac)	100-240
Power supply	Remote included
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Plug type	Type A, Type C, Type G
Batteries inside	No

## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class E



## Spare Parts



- |     |   |           |
|-----|---|-----------|
| 01. | Noctambule Cone                                     | F0260000  |
| 04. | Fixing screws kit                                   | RF0254100 |
| 05. | Ring led diffuser                                   | RF27498   |
| 06. | Noctambule High Cylinder                            | F0257000  |
| 07. | Black plug assembly kit & 48V driver                | RF6600130 |
| 08. | Noctambule switch dimmer assembly (with EMC filter) | RF37082   |
| 09. | Noctambule Floor Small base                         | F0261030  |
| 10. | Noctambule F n°5 adjustable feet kit                | RF0254200 |



F0260000  
Noctambule Cone



RF0254100  
Fixing screws kit



RF27498  
Ring led diffuser



F0257000  
Noctambule High Cylinder



RF6600130  
Black plug assembly kit & 48V driver



RF37082  
Noctambule switch dimmer assembly (with EMC filter)



F0261030  
Noctambule Floor Small base



RF0254200  
Noctambule F n°5 adjustable feet kit