


# FLOS

■ 06.2620.14 Black

## Power Supply Surface Middle Dimmable / Non Dimmable NEW

Designed by FLOS Architectural, 2023



Power supply surface middle. Cannot be installed on wall tracks.

---

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

## Main specifications

|                        |                               |
|------------------------|-------------------------------|
| Mounting               | Ceiling surface, Wall surface |
| Environments           | Indoor dry location           |
| Light sources included | No                            |
| Power (W)              | 96                            |

## Physical

|                 |       |
|-----------------|-------|
| Colour          | Black |
| Net weight (kg) | 0.6   |
| IP internal     | 20    |



## Electrical


|                           |                        |
|---------------------------|------------------------|
| Insulation class          | I                      |
| Frequency (Hz)            | 50/60                  |
| Main voltage (Vac)        | 220-240                |
| Driver output voltage (V) | 24                     |
| Power supply              | Integrated             |
| Dimmable                  | Yes                    |
| Power supply type         | Non Dimmable, Dimmable |

## Download

Mounting instructions




## Ecodesign and Energy Labelling



Replaceable control gear by a professional

## Accessories & Power Supply



OPTIONAL  
Power supply

Electrical

08.0613.14A

Dimmable control box 1-10V,  
24/48V. For remote installation.