

# FLOS

■ F0001031 Matte Black


## Skygarden 1

Designed by Marcel Wanders, Marcel Wanders studio, 2007



Halogen - 150W

Suspension luminaire providing diffused lighting. Hemispherical, mechanically-processed cast plaster diffuser, painted white inside. Outer finish: rust, glossy black, glossy white or matte gold. Plaster diffuser support in die-cast aluminum alloy, liquid-painted white. Molded upper bushing in die-cast, polished aluminum alloy, protected with transparent paint on the entire visible part. Upper cable gland and blocking ring nut in black injection-molded PC (polycarbonate). Shaped, galvanized adjustment screws. Transparent, injection-molded, upper and lower silicone shock absorbers. Lamp holder and fixing support in black injection-molded PPS (polyphenylene sulfide). Flashed and blown opal glass diffuser. Molded fixing ring nut in die-cast aluminum alloy with alodine plating. Skygarden 1 frieze in photo-etched and mechanically drawn AISI 304 steel. Molded and galvanized steel ceiling attachment Gray, injection-molded PA6 (Nylon) rose.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

### Download

Mounting instructions [↓ PDF](#)

### Photometric Files

LDT / IES [↓ LDT](#)

### Technical Drawings

2D [↓ ZIP](#)

3D [↓ ZIP](#)


[🔒 Bim](#) [↓ ZIP](#)

## Main specifications


EAN	8059607012765
Mounting	Suspension
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of lamps	1
Power (W)	150

## Physical

Colour	Matte Black
Length (mm)	600
Cord colour	Clear
Cord length (mm)	2700
Canopy colour	Matte Black
Canopy length/diameter (mm)	146
Canopy height (mm)	36
Net weight (kg)	12.7
Package height (mm)	435
Package width (mm)	730
Package length (mm)	730
Package volume (m3)	0.23
IP internal	20



## Schematic light drawing




## Photometric

Lighting type	Direct
Light distribution	Symmetric
Extreme cut off	No

## Electrical

Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	220-250
Dimmable	Yes
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

## Bulbs




NOT INCLUDED

RF29388

LED T46 Lamp E27 20W 2700K

Dimmable

## Spare Parts



- |     |                                  |           |
|-----|----------------------------------|-----------|
| 01. | Opal black ceiling rose assembly | RF6410431 |
| 02. | Skygarden 1 glass diffuser       | RF6410100 |
| 03. | Kit of 5 or rings                | RF05382   |



RF6410431

Opal black ceiling rose assembly



RF6410100

Skygarden 1 glass diffuser



RF05382

Kit of 5 or rings