

# FLOS

F6497009 White

## String Light - Cone head - 22mt cable

Designed by Michael Anastassiades, 2014




21W - 1035lm - 2700K

Suspension lamp providing diffused light. Black, white or blue varnished die-cast aluminium body coated with clear soft-touch varnish. Optical diffuser in opal PC. Suspension system of 22 metres with Kevlar reinforced coaxial cable. Available with wall/ceiling connection in black PC and power supply with floor switch in black varnished PC. The on/off switch is electronic with optical and touch dimm mechanism included or touch dimm and CASAMBI Ready version. Dimmer included. Compulsory to add either floor switch or ceiling/wall rose.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



### Main specifications

EAN	8059607041574
Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED array
Power (W)	21
Lumen Output (lm)	1035

### Physical

Colour	White
Length (mm)	190
Cord colour	White
Cord length (mm)	22000
Net weight (kg)	1.3
Package height (mm)	300
Package width (mm)	300
Package length (mm)	300
Package volume (m3)	0.03
IP internal	20

### Download

Mounting instructions	<a href="#">↓ PDF</a>
Mounting instructions	<a href="#">↓ PDF</a>
Mounting instructions	<a href="#">↓ PDF</a>

### Photometric Files


LDT / IES	<a href="#">↓ LDT</a>
-----------	-----------------------

### Technical Drawings

<a href="#">Bim</a>	<a href="#">↓ ZIP</a>
---------------------	-----------------------



## Schematic light drawing



## Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class D



Replaceable (LED only)  
light source by a  
professional

## Photometric

Lighting type	Direct
Light distribution	Roto symmetric
CCT (K)	2700

## Electrical

Insulation class	III
Main voltage (Vac)	48
Forward voltage (V)	48
Power supply	Remote excluded
Dimmable	Yes
Power supply type	Electronic 48V
Dimming interface	Dimmer Integrated
Batteries inside	No

## Accessories & Power Supply



REQUIRED

F6482009

String Light Canopy in White



REQUIRED

F6484009

String Light White Floor Switch EU



REQUIRED

F6484309

String Light White Floor Switch GB




OPTIONAL

F6485009

String Light Cable

## Spare Parts



- |     |  |           |
|-----|--|-----------|
| 01. | String Light Kit with white hooks and white cable clamps             | RF6480109 |
| 02. | Power supply unit for led  | RF22934   |
| 03. | String Light Kit with allen key and screws for ceiling rose assembly | RF6480200 |



RF6480109  
String Light Kit with white hooks  
and white cable clamps



RF22934  
Power supply unit for led



RF6480200  
String Light Kit with allen key and  
screws for ceiling rose assembly