

FLOS

06.5025.40 White

The Tracking Magnet Suspension Up&Down Profile 90° Mechanical Corner


Designed by FLOS Architectural, 2017



Two end suspension connections included. Steel cable not included. No lighting on the upper part. Upper part connections included.

Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)



Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light sources included	no

Physical

Colour	White
Trim	No
Field cuttable	No
Length (mm)	55
Net weight (kg)	0.17
IP internal	20
IP external	20

Download

[Mounting instructions](#)



Electrical

Forward voltage (V)	48
LED current (mA)	35
Dimmable	Yes
Emergency	No

Notes

90° mechanical corner.

Accessories & Power Supply



REQUIRED
Accessory

Electrical

08.0614.14

The Tracking Magnet Profile
Intermediate Connector
Flexible/Electrical Corner



REQUIRED
Accessory

06.5026.40

The Tracking Magnet Suspension
Up&Down Profile End Caps



REQUIRED
Accessory

Installation

08.8634.00


4m suspension steel cable



REQUIRED
Accessory

08.8883.14A

Canopy surface Black, Power
Supply not included order
separately



REQUIRED
Accessory

08.8883.40A

Canopy surface White, Power
Supply not included order
separately



REQUIRED
Electrical

08.8889.14

Recessed power supply rose



REQUIRED
Electrical

08.8889.40

Recessed power supply rose



REQUIRED
Accessory

Installation

60.3014.11

Suspension rod with 1m rose. M6
thread



REQUIRED
Accessory

Installation

60.3014.14

1 m suspension rod with ceiling
rose kit. M6 thread



REQUIRED
Accessory

Installation

60.3097.11

1 m suspension rod with ceiling
rose with m6 thread



REQUIRED
Accessory

Installation

60.3097.14

1 m suspension rod extension set
with m6 thread