

FLOS


F9520034 Pink

Wireline

Designed by Formafantasma, 2019

45W - 2793lm - 2700K - CRI> 90

Suspension lamp with diffused light. Tubular in transparent extruded glass and internal diffuser in opal PC. Ferrules made with CNC technology in satin stainless steel. Extruded cable in pink and forest green rubber. Injection molded PC rosette in the same finishes as the cable. The electronics integrated in the ceiling rose allows the use of different dimerization systems: push, 1-10, potentiometer, DALI. In the absence of these systems, the luminous flux can be set during installation, with the push system included in the canopy. Useful length of the cable 3mt.



Are you a professional and your project needs consulting and support?

[BOOK AN APPOINTMENT](#)

Main specifications

Mounting	Suspension
Environments	Indoor dry location
Light source type	LED
Light sources included	Yes
LED type	LED Module
Power (W)	45
System power (W)	45
Lumen Output (lm)	2793

Physical

Colour	Pink
Length (mm)	1300
Cord colour	Pink
Cord length (mm)	4050
Canopy colour	Pink
Canopy length/diameter (mm)	130
Canopy height (mm)	70
Net weight (kg)	7.8
Package volume (m3)	0.05
IP internal	20

Download

[Mounting instructions](#) PDF

Photometric Files

[LDT / IES](#) LDT


Technical Drawings

[3D](#) ZIP

[Bim](#) ZIP



Schematic light drawing



Photometric

Lighting type	Total
Light distribution	Symmetric
CCT (K)	2700
CRI>	90
Extreme cut off	No

Electrical


Insulation class	I
Frequency (Hz)	50/60
Main voltage (Vac)	120-277
Power supply	Integrated
Dimmable	Yes
Power supply type	Dimmable 0-10V, Dimmable 1-10V, Dimmable DALI 1, Dimmable Push
Dimming interface	Remote Dimmable (Dimmer Not Included)
Batteries inside	No

Ecodesign and Energy Labelling

This product contains a light source of energy efficiency class F



Spare Parts



- | | | |
|-----|--|-----------|
| 00. | Push button and cables assembly for dimmer | RF27318 |
| 01. | Power supply unit for led | RF22934 |
| 02. | Led dimmer kit | RF34197 |
| 03. | Wireline Assembly Rose Cover Pink | RF9523134 |
| 04. | Wireline Assembly Suspension Rose for Wirelines Pink | RF30036 |
| 05. | WireLine Pink Wire | F9522034 |
| 06. | WireLine Body | F9521000 |




RF27318
Push button and cables assembly
for dimmer



RF22934
Power supply unit for led




RF34197
Led dimmer kit



RF9523134
Wireline Assembly Rose Cover
Pink



RF30036
Wireline Assembly Suspension
Rose for Wirelines Pink



F9522034
WireLine Pink Wire



F9521000
WireLine Body